

Type of Product

TECHNICAL DATA SHEET

Page 1 of 3 Last updated 10/02/2020

Swift[®]tak 4014

PVAc dispersion-based adhesive.

Product Benefits	 produces very resistant and elastic bonds medium viscosity appropriate for assembly meets the requirement of D2 according to EN 204

Typical Applications For furniture assembly.

Suitable substrates	Wood, chipboard, ect.
---------------------	-----------------------

Typical Properties

Property	Value
Base	PVAc dispersion
Colour	white
рН	approx. 6.5
TMF	approx. +6°C
Viscosity(Brookfield RV, at 20°C)	approx. 12 000 mPa.s
Shelf life	6 months



TECHNICAL DATA SHEET

Page 2 of 3 Swift[®]tak 4014

Application InstructionsThe parts should fit exactly and be free from dust and grease.
Apply in a thin, uniform film to one side, by means of a glue spreading
machine as a glue roller, toothed spatula, etc.
Join the parts within the open time and press until a sufficient initial
strength is obtained. Apply as much pressure as necessary to ensure
overall close contact between the surfaces.

Working conditions:

- room, material and glue temperature: 18 20°C
- wood moisture content: 8 10%
- air relative humidity: 60 70%

Glue consumption:

- assembling works: 160 180 g/m²
- laminating works in short cycle press: 80 100 g/m²

Open time:

- for 100 g/m²: approx. 1.5 2 minutes
- for 180 g/m²: approx. 6 minutes

Working pressure: 2-5 kg/cm²

Minimum pressing times:

- assembly gluings at room temperature: from 3 minutes
- one side coating with pre-heating: from 45 seconds
- laminating at 70°C: from 30 seconds

The above values should be considered as indicative. Preliminary tests should be done to determine the optimal working conditions. The open and setting times are dependent on workshop conditions such as temperature, air humidity, moisture content of wood, glue coating weight, porosity of the materials, etc.

This product does not cause any discoloration of the wood. Iron, however, can react with the tannin in the wood, especially oak, and produce a dark stain.

IMPORTANT: Information, specifications, procedures and recommendations provided ("information") are based on our experience, and we believe this information to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that use of the product will avoid losses or damages or give desired results. It is purchaser's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.

® and ™ are trademarks of H.B. Fuller Company ("H.B. Fuller") or one of its affiliated entities.

NOTE TO USER: by ordering/receiving product, you accept the H.B. Fuller General Terms and Conditions of Sale applicable in the region. Please request a copy if you have not received this documentation. These Terms and Conditions contain disclaimers of implied warranties (including but not limited to disclaiming warranties of fitness for a particular purpose) and limits of liability. All other terms are rejected. In any event, (1) the total aggregate liability of H.B. Fuller for any claim or series of related claims, however arising, in contract, tort (including negligence), breach of statutory duty, misrepresentation, strict liability, or otherwise, is limited to replacement of affected produds or refund of the purchase price for affected products. (2) H.B. Fuller shall not be liable for loss of profit, loss of margin, loss of contract, loss of business, loss of goodwill, or any indirect or consequential losses arising out of or in connection with product supply. (3) Nothing in any term shall operate to exclude or limit H.B. Fuller's liability for fraud, gross negligence, death, or personal injury caused by negligence, or for breach of any mandatory implied terms unless permitted by law.



www.hbfuller.com ©H.B. Fuller Company



TECHNICAL DATA SHEET

Page 3 of 3 Swift[®]tak 4014

Cleaning Instructions	Please contact your local Sales Office for available cleaning solutions.
Typical Packaging	Please contact your local Sales Office for available packaging options.
Storage Conditions	In original sealed packaging protected from sun, dust, moisture and high temperatures in clean and dry conditions. This adhesive is sensitive to cold, so storage at low temperatures should be avoided.
Disposal Advice	Please refer to the MSDS for disposal instructions.
Safety Advice	Please refer to the MSDS for safety advice.

IMPORTANT: Information, specifications, procedures and recommendations provided ("information") are based on our experience, and we believe this information to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that use of the product will avoid losses or damages or give desired results. It is purchaser's sole responsibility to test and determine the suitability of any product for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.

® and ™ are trademarks of H.B. Fuller Company ("H.B. Fuller") or one of its affiliated entities.

NOTE TO USER: by ordering/receiving product, you accept the H.B. Fuller General Terms and Conditions of Sale applicable in the region. Please request a copy if you have not received this documentation. These Terms and Conditions contain disclaimers of impled warranties (including but not limited to disclaiming warranties of fitness for a particular purpose) and limits of liability. All other terms are rejected. In any event, (1) the total aggregate liability of H.B. Fuller for any claim or series of related claims, however arising, in contract, tort (including negligence), breach of statutory duty, misrepresentation, strict liability, or otherwise, is limited to replacement of affected products or refund of the purchase price for affected products. (2) H.B. Fuller shall not be liable for loss of profit, loss of margin, loss of contract, loss of business, loss of goodwill, or any indirect or consequential losses arising out of or in connection with product supply. (3) Nothing in any term shall operate to exclude or limit H.B. Fuller's liability for fraud, gross negligence, death, or personal injury caused by negligence, or for breach of any mandatory implied terms unless permitted by law.



www.hbfuller.com ©H.B. Fuller Company